



LEVELFiX 650 Series

Professional construction lasers



650 Series Professional construction lasers

Reliable lasers for construction

With a LEVELFIX 650 series laser in your hands, you have a professional partner for all layout work. The lasers are made for everyday ease of use, are easy to operate and have all the functions needed for standard work in construction, interior and finishing.

SECURITY

The 650 Series features a TILT function that ensures you are always working with the correct size. When the TILT function is enabled, the laser will continue to check the height. Does the height change due to for example violent shocks or unwanted movement of the laser? Then the laser blocks to avoid annoying measurement errors.

FUNCTIONALITY

The 650 series lasers have excellent specifications, such as IP66 construction which protects the laser from dust and moisture. The lasers have an accuracy of 4.8mm/100mtr and an updated removable Li-ion battery pack that ensures you can work with your laser for up to 55 hours on 1 charge.

The manual slope function allows you to quickly and easily set a bevel on either the x or y axis.

The 650 Series features Bluetooth which, with the free LEVELFIX APP, allows you to remotely control the laser and set anti-theft protection.




WARRANTY

Our warranty highlights the quality and reliability of our products. LEVELFIX lasers come with a 4-year manufacturer's warranty*.

Should an instrument fail due to manufacturing or material defects, we will repair or replace it without charge.

(* after registering online within 2 weeks of purchase).

650 Series Which model is right for your work?

Specifications	650Hb	650H	650HV	650HVG
				
Article number	554600	554610	554620	554630
Functions				
Accuracy at 10 m	≤ 0.5 mm	≤ 0.5 mm	≤ 0.5 mm	≤ 0.5 mm
Dust and water resistance	IP66	IP66	IP66	IP66
Range with detector	≤ 600 m	≤ 600 m	≤ 600 m	≤ 300 m
Revolutions per minute (rpm)	600	600	0, 150, 300, 600	0, 150, 300, 600
Power supply	Li-Ion	Li-Ion	Li-Ion	Li-Ion
Laser diode Laser class	red 2m	red 2m	red 2m	green 2m
Type of laser diode	HighPower	HighPower	HighPower	HighPower
Connect (APP)	no	yes	yes	yes
Tilt-function	yes	yes	yes	yes
Slope	no	manual, X / Y-as	manual, X / Y-as	manual, X / Y-as
Plumb line function	no	no	yes	yes
Warranty	4 years	4 years	4 years	4 years

Choose your version

650Hb	Art.no.	Included	650H	Art.no.	Included
	554600	Includes the RLD100R digital detector, battery and charger		554610	Includes the DLD100GR digital mm-detector, battery and charger
	554601	Set with 1.8m tripod & laser rod		554611	Set with 1.8m tripod & laser rod
	554606	Set with mm-detector DLD100GR			
	554607	Set with mm-detector DLD100GR, 1.8m tripod & laser rod			
650HV	Art.no.	Included	650HVG	Art.no.	Included
	554620	Includes the RLD100GR digital detector, remote control, target plate, battery and charger		554630	Includes the RLD100GR digital detector, wall bracket, remote control, target plate, battery and charger
	554621	Set with 1.8m tripod & laser rod		554631	Set with 1.8m tripod & laser rod
	554622	Set with 2.7m tripod & laser rod		554632	Set with 3.0m tripod & laser rod
	554626	Set with mm-detector DLD100GR		554636	Set with mm-detector DLD100GR
	554627	Set with mm-detector DLD100GR, 1.8m tripod & laser rod		554637	Set with mm-detector DLD100GR, 1.8m tripod & laser rod
	554628	Set with mm-detector DLD100GR, 2.7m tripod & laser rod		554638	Set with mm-detector DLD100GR, 3.0m tripod & laser rod

DLD100GR & RLD100GR The detectors of LEVELFIX

LEVELFIX RLD100GR - Digital detector



The RLD100R is suitable for rotating lasers with visible red and green beams and has a working range of ≥ 300 metres.

This robust detector has a large receiving window and is designed for ease of use on a daily basis.

The RLD100GR is robust, has a shock- and impact-resistant housing and is waterproof (IP66).

LEVELFIX DLD100GR - Digital detector with mm display



The DLD100GR is suitable for all rotating lasers with a red or green beam. The detector has a large receiving window, a backlit, clear display and a working range of ≥ 300 metres.

This unique receiver displays the distance to the 0-line in millimetres. The detector has an adjustable zero position. This makes transferring heights a breeze.

The DLD100GR is robust, has a shock- and impact-resistant housing and is waterproof (IP66).

Art.no.	Included
554194	RLD100GR digital detector with clamp
554195	DLD100GR digital mm detector with clamp

X

650 SERIES

Reliable lasers
for construction



www.levelfixinstruments.com